


# INDEX MAPS.


K

**T.5N R.7W 2<sup>nd</sup> Mer.**

Meandering 34



**T.6N R.7W 2<sup>nd</sup> Mer.**



The figures on the lines refer to the page.

1

Township No. 5 North of Range No. 7 West of the 2<sup>nd</sup> Mer. Ind.

S. E. 1/4.

South Boundary.

- Webb Cut the South Boundary of sec. 36. T. 5 N. R. 7 W.  
 25.87 To an Oak. 12 in. dia. stands in the line.  
 30.00 Sugar tolerably good.  
 40.00 Set a 1/2 cu. post from which an  
 Oak. 16 in. dia. beam. N 20 E. 370 links out; & 5  
 Do. 10 " " " S 60 W 39 " "  
 80.00 Set a post for the cor of sec. 35 & 36. from which  
 Hickory 8 in. dia. beam. N 57 E. 155 links out;  
 No more trees near. Over Barren Prairie little timber

- Webb Cut the South Boundary of sec. 35. T. 5 N. R. 7 W.  
 27.41 To a Hickory 22 in. dia. stands in the line.  
 32.00 Cross at end of Brook 100 links wide, conc. S. W.  
 37.00 To a Bayou 130 links wide, cr. S.  
 40.00 Set a 1/2 cu. post from which an  
 Ash. 15 in. dia. beam. S 73 E. 20 links out; & 5  
 Do. 16 " " " N 60 W. 35. " "  
 60.00 To a Bayou 200 links wide, cr. S.  
 80.00 Set a post for the cor of sec. 34 & 35 from which  
 Sugar. 18 in. dia. beam. N 45 E. 46 links out; & 5  
 Do. 14 " " " S 79 W 32 " "  
 Over R. note bottom land; some Elm, W ash, B. S  
 W Mahogany, Sugar, &c.

- Webb Cut the South Boundary of sec. 34. T. 5 N. R. 7 W.  
 7.44 To a Bayou 150 links wide, conc. S. W.  
 16.37 To a Sugar. 30 in. dia. stands in the line.  
 29.54 To a Bayou 200 links wide, cr. S. W.  
 40.00 Set a 1/2 cu. post from which an  
 Ash 12 in. dia. beam. N 39 E. 30 links out; & 5  
 Do. 6 " " " S 30 W 33 " "  
 51.50 To a Bayou 200 links wide, cr. S. W.



## T. No 5 N. R. No 1/4 N. 2nd Mer. Ind.

58.00	To a Bayou 130 links wide, Cro. S.E.
69.32	To a Sugar. 33 in. dia. stands in the line.
80.00	Set a post for the cor. of Sec. 33 & 34 from which an Ash 8 in. dia. beam. S 63 N. 34 links dash; & 5 No. 9 " " " N 41 E 12 " " Sand bottom P. rate, Timber Ash. Elm, W. Mahant, Sugar.
West	On the South Boundary of Sec. 33 T. 5 N. R. 7 W.
12.09	To an Ash on the Left Bank of River.
40.50	Set a post on the Right Bank of White River the West side of Bend from which an Elm. 12 in. dia. beam. N 12 W. 33 links dash; & 5 Ash. 9 " " " S 61 E 19 " " 44.50 To an Elm 16 in. dia. stands on the Left Bank of White River from which an Elm 24 in. dia. beam. S 10 E 36 links dash; & 5 Ash. 16 " " " N 13 W 50 " " 49.50 Cross River a Sugar. 5 in. dia. stands for the corner 33. 84.25 Set a post for the corner 32 & 33. from which Mulberry 18 in. dia. beam. N 17 W 42 links dash; & 5 Hoop Ash. 6 " " " N 63 E 28 " " Sand good bottom; Timber Elm, Hoop Ash. & 5.
West	On the South Boundary of Sec. 32 T. 5 N. R. 7 W.
11.32	To a Hickory 20 in. dia. stands in the line.
20.00	To a Mahant 36 in. " " " " " " on River Bank.
26.60	Set a post on the opposite Bank of White River from which Gum. 18 in. dia. beam. South 28 links dash; & 5 Mulberry 6 " " " N W. 32 " " 40.00 Set a post for the corner from which an Ash 15 in. dia. beam. N 17 E 14 links dash; & 5 Hoop Ash. 4 " " " S 51 E 32 " "

## T. N. 5 N. R. N. 7 W. 2nd Mer. Ind.

- 46.00 Set a post for the cor of sec. 30. on the left Bank of River  
from which, Maple 15 in. dia: trunk N 77 W 34 links due;   
and a Loc. 5 " " S 24 W 26 " "
- 52.50 To a Hickory 30 in. dia: on the Right Bank of White River.
- 66.00 Crossed Back water.
- 69.00 Loc. " NW.
- 80.00 Set a post for the cor of sec. 31 & 32 from which a.  
Hoop oak 18 in. dia: trunk N 21 E 27 links due; & 3  
Sycamores 48 " " S 34 W 38 " "  
Sends private bottom. Some Oak Elm & Walnut.

- North On the South Boundary of sec. 31. T. 5 N. R. 7 W.
- 4.15 To a sycamore 48 in. dia: stands in the river.
- 5.00 To Back water cor. S.
- 38.65 To an Oak 24 in. dia: in the river.
- 40.00 A Hickory 36 in. dia: stands and is marked for the cor.
- 71.50 Intersect the West Boundary 17.40 links North of the same  
cor and set a post for the cor of sec. 45, T. 5 N. R. 7 & 8 W  
from which an Elm, 15 in. dia: trunk. N 13 E. 10 links due;  
and a " Oak 8 " " N 34 E 14 " "

## East Boundary

- North On the East Boundary of sec. 36 T. 5 N. R. 7 W.
- 35.00 Open prairie; much grass.
- 40.00 Set a 7th post in open prairie. No bearing true
- 80.00 Set a post for the cor of sec. 25 & 36 in prairie No true  
low barrens. Some Oak & Hickory.

- North On the East Boundary of sec. 25 T. 5 N. R. 7 W.
- 30.00 Some timber
- 40.00 Set a 7th post from which  
W Oak. 13 in. dia: trunk N 62 E. 44 links due; & 3  
Sycam. 12 " " N 23 W 10 " "

T. No 5 N.R. No of W. 2<sup>nd</sup> Mer. Ind:

41.00 To a stump; Timber Willow Ash, & Elm  
 46.00 To a Brook 20 links wide, corner NW  
 55.00 To 2<sup>nd</sup> rate bottom land. Timber Ash, & Elm &  
 67.06 To an Oak 36 in dia: stands in the line.  
 80.00 Set a post for the cor of Sec. 24 & 25 from which an  
 Ash 10 in dia: bears S 14 W 30 links dist; &  
 No 8. " " N 42 W 47. "  
 Corn often previous

North On the East Boundary of Sec. 24. T. 5 N.R. 7 W  
 15.00 To 1<sup>st</sup> rate upland  
 26.16 To an Oak 12 in dia: stands in the line.  
 33.00 To a Run 15 links wide, corner S.W.  
 40.00 Set a post from which an  
 Ash 12 in dia: bears N 14 W 23 links dist; &  
 No 8. " " S 42 W 25. "  
 50.40 Enter at the Indian Boundary can do set a post from which  
 Ash 18 in dia: bears S 7 E 35 links dist; & an  
 Elm 16 " " S 63 W 42. "  
 Lands 1<sup>st</sup> rate bottom, Timber Ash, Elm, Maple, &  
 Surveyed by  
 Stephen Benton D.S.

North On the East Boundary of Sec. 24. Continued  
 40.00 Post set by Benton  
 69.22 To a bottom 40 in dia: stands in the line.  
 80.00 Set a post on the River Bank further cor of Sec. 13 & 24 from which  
 Box Elm 18 in dia: bears S 38 W 6 links dist; &  
 Horn Oak 10 " " S 66 E 35. "

North On the East Boundary of Sec. 13. T. 5 N.R. 7 W  
 Offset East 5.00 ch: then North 25.00; then  
 West 5.00 ch: to the line. then South 5.00 ch: To a  
 20.00 Willow 12 in dia: stands on the Bank of White River

T. N. 5 N.R. N. 7 W. 2<sup>nd</sup> (Mer. Ind.)

- 40.00 Set a  $\frac{1}{4}$  sa post. 20 ch. from Millen; from which,  
 Hick 14 in. dia: trees. N 16 E. 24 links out; 8 $\frac{1}{2}$   
 Hoop Ash. 12 " " S 36 W. 14 " "
- 54.00 To a Maple 8 in dia. stands on the Riv<sup>r</sup> Bank cross sec. B.  
 Offsetted East. 45.00 ch. thence N 65.30 ch. thence West.  
 20.00. To the River thence North 5.00 ch. thence N. 9.00  
 to Large Bayou; Continued the line over the River.
- 59.10 To a Sycamore 18 in. dia: stands in the line - in the North Bank.
- 80.00 Set a post for the crop lat. 12 N 13. from which,  
 Hoop Ash. 10 in. dia: trees. N 14 E. 7 links out; 8 $\frac{1}{2}$   
 Hoop Ash. 18 " " " S 36 W. 15 " "

- North On the East Boundary of Sec. 10 T. 5 N. R. 7 W.
- 24.00 Set a post on the Right Bank of White River from which,  
 Walnut 8 in. dia: trees. N 55 E. 8 links out; 8 $\frac{1}{2}$   
 Red Bud 8 " " " S 30 W. 34 " "
- 29.83 To a Cottonwood 15 in. dia: stands in the Bank of River (Left)
- 40.00 Set a  $\frac{1}{4}$  sa post from which,  
 Hoop Ash. 18 in. dia: trees. N 27 W. 8 links out; 8 $\frac{1}{2}$   
 Mulberry 20 " " " S 53 E. 10 " "
- 48.50 Set a post on the River Bank from which,  
 Pawpaw 9 in. dia: trees. S 34 E. 38 links out; 8 $\frac{1}{2}$   
 Hoop Ash. 14 " " " S 75 W. 27 " "
- 80.00 Corner of Sec. 10 in the River. 4.00 ch. from stake to  
 Sand Beach. under 700 to post on the North Bank.

- North On the East Boundary of Sec. 1 T. 5 N. R. 7 W.
- 5.50 Set a post on the Left Bank of White River from which,  
 Maple 5 in. dia: trees. N 79 W. 10 links out; 8 $\frac{1}{2}$   
 Cottonwood 12 " " " N 53 E. 16 " "
- 10.75 To a Cottonwood 24 in dia: stands in the line
- 40.00 Set a  $\frac{1}{4}$  sa post from which,  
 Ash 20 in. dia: trees. S 37 W. 48 links out; 8 $\frac{1}{2}$



T. No 5 N.R. No 77 2<sup>nd</sup> Min. Ind.

Neopash. 4 in. diam. beam N62 E 11 links dist;  
 51.50 To a shaft 15 in diam. stands in the river.  
 80.00 Set a post for the cor of Latms. 576. N.R. 6777 from which,  
 To shaft 16 in diam. beam. N29 W 16 links dist; 1<sup>st</sup> ga.  
 Epu. 16" " " S32 W 41 " "  
 Under good bottom; limits marked.

## North Boundary

East OakRan den line on the South Boundary of sec. 31.  
 T. 6. N.R. 77

25.00 At a post. 50.00

40.00 Dr. Sec. cor in prina.

80.00 Set a trumpet post for the cor of sec. 31 & 32

East OakRan den line On the South Boundary of sec. 32.  
 T. 6. N.R. 77.

40.00 Set a trumpet  $\frac{1}{4}$  la post.

80.00 Set a trumpet post for the cor of sec. 32 & 33.

East OakRan den line On the South Boundary of sec. 33

40.00 Set a trumpet  $\frac{1}{4}$  la post.

80.00 Set a trumpet post for the cor of sec. 33 & 34.

East OakRan den line On the South Boundary of sec. 34.

40.00 Set a trumpet  $\frac{1}{4}$  la post.

80.00 Set a trumpet  $\frac{1}{4}$  la post for the cor of sec. 34 & 35.

East OakRan den line On the South Boundary of sec. 35.

40.00 Set a trumpet  $\frac{1}{4}$  la post.

80.00 " " " post for the cor of sec. 35 & 36.

East OakRan den line On the South Boundary of sec. 36.

40.00 Set a  $\frac{1}{4}$  la post.



T. N. 5 N.R. N. 7 W. 2<sup>nd</sup> Mer. Ind:

7

8000	To the cor of T. 5 & 6. N.R. 7 W.
West	Cut the line into Cut the South Boundary of la. 36. T. 6. N.R. 7 W.
	To a last of 20 in air. Stands in the line.
38.50	To a pond 300 links wide.
40.00	Dr. Sw. cor in pond.
44.20	To a W Oak. 20 in air. Stands in the line.
56.78.	Back Water Creek. 100 links wide, lower S.
78.00	To Back Water Creek. S.W. Offset North 250 three West. 200 links to the line.
80.00	Post cor of la. 35 & 36. in Back Water.
West	Cut the South Boundary of la. 35 T. 6. N.R. 7 W. three
South	9.00 Offset three
West.	10.00. three
South	6.00. three
West.	5.00 three.
South	3.00 to the line 100 links West of B Water. three
West	Continues the line on the South Boundary of la. 35
34.28	To a Hickory 10 in. air. Stands in the line.
40.00	Made the 74 a post on a Hickory 3 in air.
53.00	To a Marsh. 20 ch. wide or pond.
80.00	Set a post for the cor of la. 35 & 34 from which a Hickory 18 in. air. brist. S 53 W. 134 links each 15
	W Oak. 18 " " " N 6 E. 262 " "
	Set a 2 <sup>nd</sup> rate Timber Oak 15.
West	Cut the South Boundary of la. 34. T. 6. N.R. 7 W.
10.00	To a prairie 18 ch. wide.
28.40	To a B Oak. 18 in air. Stands in the line.
40.00	Set a 74 a post from which an Oak. 18 in. air. brist. S 73 W 38 links each 15

T. N. 5 N. R. N. 7 W. 2<sup>nd</sup> Mer. Sec.

Hickory 20 in. diam. beam. N 65 E. 25 links each; 85  
 40.95 To an ash. 23 in. diam. stands in the line.  
 80.00 Set a post for the cor. of sec. 33 & 34. From which  
 Elm 15 in. diam. beam. N 76 W. 14 links each; 85  
 Do. 12 " " " N 35 E. 24 " "  
 Over post lands.

West Out the South Boundary of sec. 33. T. 6. N. R. 7 W.  
 5.00 To an ash. 12 in. diam. stands in the line.  
 21.85 " Do. 20 " " " " "  
 40.00 Set a post from which an  
 ash. 20 in. diam. beam. S 56 W. 6 links each; 85  
 Maple 30 " " " N 44 E. 18 " "  
 44.00 Over the Swamp.  
 54.45 To a B. Oak. 24 in. diam. stands in the line  
 70.00 To the prairie 12 ch. in. in.  
 80.00 Set a post for the cor. of sec. 32 & 33. From which an  
 Elm. 12 in. diam. beam. N 76 W. 36 links each; 85  
 Do. 30 " " " N. E. 170 " "  
 Land 1/2 mile Maple, Sugar, & Last 1/2 Oak  
 Land &c.

West Out the South Boundary of sec. 32. T. 6. N. R. 7 W.  
 5.64 To a Hickory 18 in. diam. stands in the line.  
 40.00 Set a post from which  
 Hickory 15 in. diam. beam. N 63 E. 19 links each; 85  
 Do. 15 " " " S 80 W. 44 " "  
 43.80 To a B. Oak. 36 in. diam. stands in the line  
 75.00 Swamp.  
 80.00 Set a post for the cor. of sec. 31 & 32 in the swamp.

West Out the South Boundary of sec. 31. T. 6. N. R. 7 W.  
 600 To the Swamp.

9

T. N. 5 N. R. 8 W. 2nd Mer. Ind.

- 13.50 To stream 50 links wide Run. S.  
 18.50 To open Swamp  
 40.00 Set a 7/8 post in the Edge of Long land from which an  
 Elm 15 in. dia. bears S 5 E 70  
 65.10 Enter the West Range line and set a post for the cor.  
 of Twp. 5 N. R. 8 W. from which,  
 N. Oak 24 in. dia. bears N 6 E 104 links dist; 8  
 Hick 20 " " " N 68 E 64 " "  
 This post is 2nd rate Oak 12 in. dia.  
 This post is 21.80 North of the temp. post set at 80. Ch.  
 in the East Range line of T. 5 N. R. 8 W. and 33.50  
 North of the true line of T. 5 N. R. 8 W.

Surveyed by  
 David Sullivan L.S.

### West Boundary

- North On the East Boundary of Twp. 36. T. 5 N. R. 8 W.  
 9.25 To a Hoop Ash 18 in. dia. Stands in the line  
 15.75 To a Sugar 24 " " " " "  
 40.00 Set a 7/8 post from which,  
 N. Oak 36 in. dia. bears N 49 W. 26 links dist; 8  
 Hick 14 " " N 56 E 54 " "  
 48.25 To an Elm 24 in. dia. Stands in the line  
 66.80 " " Sugar 24 " " " " "  
 80.00 Set a post for the cor. of Twp. 25 N. 36. from which,  
 N. Oak 20 in. dia. bears S 23 W. 10 links dist; 8  
 W Oak 18 " " " N 37 W 44 " "  
 Good goods; Timber Sugar 8.

- North On the East Boundary of Twp. 25. T. 5 N. R. 8 W.  
 13.6 To a N. Oak 18 in. dia. Stands in the line.  
 21.26 " " Gum 18 " " " " "  
 40.00 Set a 7/8 post from which,



T. No 5 N.R. No 4/47. Q.M. Mr. And.

Heiky 14 in. diam. beam. N 87 E. 16 links each; 45  
 W Oak. 24 " " " S 87 E. 33 " "  
 46.30 To a W Oak. 9 in. diam. stands in the line.  
 51.20 " " To cut. 20 " " " " " "  
 75.30 " " 13 Oak 36 " " " " " "  
 80.00 A 13 Oak. 36 in. diam. stands for the cor of sec 24 & 25  
 Good farming land. Timber Oak.

North On the East Boundary of sec. 24. T. 5 N. R. 8 W.  
 5.36. A Gum. 12 in. diam. in the line.  
 20.90 a. W Oak. 18 " " " "  
 31.86 " " 24 " " " "  
 35.00 Marsh. 14 ch. wide.  
 40.00 Set a 7/8 stake in the center of pond. from which,  
 Maple. 20 in. diam. beam. S 45 W 19 links each; 75  
 Elm. 14 " " " S 36 E. 21 " "  
 Out let of Pond corner S.E.  
 57.43. A Gum. 30 in. diam. in the line.  
 80.00 Set a post for the cor of sec. 13 & 24 from which,  
 Heiky 15 in. diam. beam. S 81 W. 37 links each; 75  
 Elm. 18 " " " S 28 E. 54 " "  
 Good farming land; Timber Oak & Heiky

North On the East Boundary of sec. 13. T. 5 N. R. 8 W.  
 5.08 To an Elm. 18 in. diam. in the line. Approx. 50' wide  
 35.00 To Swamp 50 ch. wide.  
 40.00 Gr. Sec. cor in Swamp  
 80.00 Set a post for the cor of sec. 12 & 13. in Swamp

North On the East Boundary of sec. 12. T. 5 N. R. 8 W.  
 5.00 Left the Swamp  
 28.32 a W Oak 30 in. diam. in the line  
 40.00 Set a 7/8 stake from which,

T. N. 5 N.R. N. of W. 2<sup>nd</sup> Mer. Sec. 5.

Hickory 10 in. dia. beam. S16 W. 25 links each; 8  
 W Oak 33 " " " N8 W. 38 " "  
 54.21 To a W Oak. 30 in. dia. Measured in the line  
 63.50 Intersect the Indian Boundary and set a post for  
 the cor of Sec. 12. T. 5 N.R. 8 W from which  
 B Oak. 18 in. dia. beam. S27 E. 74 links each; 8  
 Q. 20 " " " S30 W 75 " "  
 Land 2<sup>nd</sup> rate; Timber Oak.  
 North On the East Boundary of Sec. 12. T. 5 N.R. 8 W Contin<sup>d</sup>  
 Began at the cor of Sec. 12 & 13. and run N. on E. Range line  
 40.00 Set a 1/4 section post from which  
 Hickory 10 in. dia. beam. S17 W. 25 links each; 8  
 W Oak. 30 " " " N8 W 45 " "  
 80.00 Set a post for the cor of Sec. 1 & 12 from which  
 W Oak. 18 in. dia. beam. N28 W 24 links each; 8  
 Q. 18 " " " S18 W. 74 " "  
 New day Jan. 31<sup>st</sup> 1801.  
 Oak. Lema.

North On the East Boundary of Sec. 1 T. 5 N.R. 8 W  
 40.00 Set a 1/4 section post from which  
 W Oak. 14 in. dia. beam. N70 E. 9 links each; 8  
 B Oak. 30 " " " S44 W 20 " "  
 80.00 Set a township post for the cor. of T. 5 & 6 N.R. 7 W.  
 Surveyed by  
 Wm Sullivan D.S.

Subdivisions

North Return Sec. 35 & 36. T. 5 N.R. 7 W  
 Land 2<sup>nd</sup> rate bottom; Timber ash, Elm, & Maple  
 Undergrowth Prairie, & Grass.  
 40.00 Set a 1/4 section post No bearing  
 61.00 To a Brook 10 links wide, Course N.



## T. N. 5 N.R. N. of W. Quad. Mon. Ind.

8000 Set a post for the cor. of sec. 25, 26, 35 & 36. from which,  
 Elm. 29 in. diam. beam. S 20 W. 43 links each; & 5  
 Do. 16 " " " N. 48 E 16 " "

Cash Return Sec. 25 & 36. T. 5 N.R. 7 W.

Land 2nd rate bottom; Timber Oak, Elm, Walnut.

20.00 To a place; Timber Oak, Hickory & Gum.

40.00 Set the 1st post at av. ditch from which,  
 W. Oak 14 in. diam. beam. S 55 E 23 links each; & 5  
 Gum. 16 " " " N 29 W 64 " "

45.00 To open prairie. Land good.

80.00 Set out the East Boundary at the post cor. of sec. 25 & 36.  
 T. 5 N.R. 7 W. March 4th.

Arth Return Sec. 25 & 26. T. 5 N.R. 7 W. By Benton  
 Open 2nd rate bottom land.

35.50 Set a post on the Left Bank of W. River for the cor.  
 of sec. 25 & 26 from which,  
 W. Walnut 12 in. diam. beam. N 76 E. 29 links each; & 5  
 Elm. 8 " " " S 88 W 15 " "

Arth Return Sec. 25 & 26. by Sullivan

40.00 for the cor. in River

42.16 A. Hoop ash. 14 in. diam. Stands on Right Bank of River.

80.00 Set a post cor. of sec. 23, 24, 25 & 26 on the Right Bank  
 of White River from which,

Sugar. 6 in. diam. beam. N 64 E. 10 links each; & 5  
 Hickory 12 " " " N 61 W 31 " "

West Return Sec. 24 & 25. T. 5 N.R. 7 W. by Benton

Land 2nd rate bottom Timber Elm, Ash Maple &  
 W. Walnut.

40.00 Set the 1st post from which is  
 Ash 9 in. diam. beam. N 34 E. 24 links each; & 5

## T. N. 5 N.R. N. 2/4 W. Quad. (Mn. Quad.)

04.00 Ash. 18 in. diam. trees. S34.24 21 links dist;  
 Set a post on the River Bank for cor. of sec. 24 & 25. from  
 which, Red Bed 9 in. diam. trees. N10 W. 30 links dist;  
 and a Sugar. 14 1/2 " " S39 E. 78 " "  
 Cash Return Sec. 24 & 25. T. 5 N.R. 7 W. by D. Sullivan  
 16.50 To the Bank of River.  
 40.00 To the post set by Benton  
 80.00 To the cor. of sec. 24 & 25.

North. Return Sec. 23 & 24 T. 5 N.R. 7 W.  
 5.50 Cross the River  
 7.50 To a Bayou  
 17.50 Set a post on the Right Bank of White River from which  
 an Elm, 10 in. diam. trees. N30 E. 14 links dist; &  
 20.5 " " " N48 W. 19 " "  
 30.11 To an Elm 10 in. diam. stands in the river.  
 40.00 A Corp Ash 20 in. diam. stands for the cor. of sec. 24.  
 63.00 To a Hickory 20 in. diam. in the river.  
 74.13 Set a post on the Indian Boundary for the cor. of sec. 23 & 24  
 from which an Elm, 10 in. diam. trees. S79 E. 31 links dist; &  
 an Elm, 11 " " " S17 W. 29 " "  
 Land and timber as before.  
 South Return Sec. 23 & 24  
 63.40 To the post set on the River.  
 80.00 To the River.

Cash Return Sec. 13 & 24 T. 5 N.R. 7 W.  
 13.45 A Cottonwood 30 in. diam. stands for cor. on the Right  
 Bank of White River  
 24.71 Set a post on the Left Bank of W. River from which  
 Red Bed 13 in. diam. trees. S38 W. 27 links dist; &  
 Elm, 12 " " " N40 E. 38 " "  
 Angle to the stake at station 3°. Sept. 50

T. N. 5 T.R. N. 7 W. 2<sup>nd</sup> New Sec. 3

1920 To the River again  
 43.91 River at a Sycamore 48 in. diam. stands at the  
 cor of sec. 13 & 24  
 80.00 Corn on the River Bank. for 13 & 24

Arth Return Sec. 13 & 14 T. 5 N. R. 7 W  
 16.71 To a B. Walnut. 36 in. diam. in the river.  
 40.00 Set a 1/4 sec post from which,  
 Keopack. 12 in. diam. beam. N 30 E. 16 links curb; & 8  
 L. 12 " " " S 35 W. 30 " "  
 80.00 Set a post for the cor of sec. 11, 12, 13 & 14 from which,  
 Keopack. 14 in. diam. beam. S 77 W. 24 links curb; & 8  
 L. 12 " " " N 23 E. 19 " "  
 Inside good bottom; Limbu Walnut, Keopack. 16

Orth Return Sec. 12 & 13 T. 5 N. R. 7 W  
 21.22 To an Ash. 15 in. diam. stands in the river.  
 40.00 Set a 1/4 sec post from which,  
 Quekey 7 in. diam. beam. S 44 W. 17 links curb; & 5  
 L. 7 " " " N 65 E. 17 " "  
 44.30 To a maple. 30 in. diam. in the river  
 76.91 Enter the Range line at the cor.

Arth Return Sec. 11 & 12 T. 5 N. R. 7 W  
 17.50 A Syc. 36 in. diam. in the river.  
 40.00 Set a 1/4 sec post from which,  
 Keick 4 in. diam. beam. N 8 E. 5 links curb; & 3  
 Keopack. 18 " " " S 77 W. 33 " "  
 36.20 To a Keopack. 20 in. diam. in the river.  
 80.00 Set a post for the cor of sec. 1, 2, 11, & 12 from which,  
 Keick 10 in. diam. beam. S 45 E. 33 links curb; & 3  
 B Walnut 24 " " " N 45 W. 34 " "  
 Corn low bottom; but good soil Limbu Walnut &

T. No 5 N.R. N. of W. Co. Mo. Ind.

Neopash.

Each Return Sat. 1872 T. 5 N.R. N. of W.  
 28.25 To an ash. 10 in diam in the line  
 40.00 Set a 7/8" sap post from which,  
 19 Elm 12 in. diam bears N 39 E. 18 knots each; & 5  
 Do. 18 " " " S 78 E. 30 " "  
 51.30 To a Neopash. on the Right Bank of W. River 3 in  
 diam. Continued the line to a Cottonwood 5 in diam.  
 (say 66.52) 15.20' post from which a  
 Neopash. 18 in. diam. bears N 42 W. 60 knots each; & 5  
 Elm 24 " " " S 14 E. 36 " "  
 S, from this post E. 50 E. to the last line, 4.00  
 at the post on the River.

North Return Sat. 1872 T. 5 N.R. 7 W.  
 25.21 To a N. Oak. 36 in. diam. Stands in the line.  
 40.00 Set a 7/8" sap post from which,  
 Hick 76 in. diam. bears N 12 W. 10 knots each; & 5  
 Elm. 20 " " " S 14 W. 14 " "  
 44.50 To a W Oak. 18 in. diam. Stands in the line.  
 78.00 Make a Back Water.  
 Land as before

North Return Sat 34 & 35 T. 5 N.R. 7 W. by J. Benton  
 Cross R. onto land Lumber Sugar, N. Walnut Ash,  
 & 5. Measure the River & the woods.  
 16.76 To a Walnut 8 in diam. Stands in the line.  
 40.00 Set a 7/8" sap post from which,  
 Ash. 16 in diam. bears S 33 E. 31 knots each; & 5  
 Do 9 " " " N 22 W. 30 " "  
 58.10 To a Spruce 20 in. diam in the line  
 61.50 " " Oak 70 knots each, leaves 9 W.



T. No 5 H.R. No of W 2<sup>nd</sup> Mer. Sud:

80.00	Set a post for the coroff lat. 26, 27 34 & 35 from which an Ash. 20 in dia: beam. S 32 W 11 links each; & a. No. 39 " " " N 62 E. 30 " "
Cash	Return lat. 26 & 35 T 5 H.R. 7 W Sands R <sup>th</sup> quality of bottom
10.50	To a creek. — links mid. Corner S 30 W.
40.00	Set a post from which, Sugar. 10 in dia: beam. N 19 W. 22 links each; & No. 18 " " " S 47 E. 35 " "
	Sand last for mid. Bottom 2 <sup>nd</sup> quality; Timber Ash, Elm, Sugar, Mahogany, and African wood. Grape.
80.00	Intersect the N 5 line at a post coroff lat. 25, 26, 35 & 36
North	Return lat. 26 & 27 T 5 H.R. 7 W By Point Cross bottom lands; R <sup>th</sup> water; Timber Sugar, Ash, Elm, Red & Wt Mahogany, Cypress & c.
18.25	To an Elm. 27 in dia: in the line.
30.00	To a Brook. 30 this side Corner N.E.
40.00	Set a post from which, Mulberry 9 in. dia: beam S 62 E. 27 links each; & an Ash, 10 1/2 " " " N 21 W. 21 " "
42.50	To a Creek. 70 links each Corner S.E.
71.20	An Elm 14 in dia: Marked for the coroff lat. 26 & 27 on the the Left Bank of White River from which an Elm. 12 in dia: beam. S 62 E. 42 links each; & No. 6 " " " S 45 W 30 " "
North	Return lat. 26 & 27. T 5 H.R. 7 W By Sullivan
69.00	To River Bank.
76.00	Set a post on the Right Bank of W River coroff lat. 26 & 27 from which, Sugar. 12 in dia: beam. N 5 E 19 links each; & No. 20 " " " S 73 W 25 " "



17

I. N. 5 N.R. E. 7 N. 2nd (Mer. Sec. 5)

80.00 Set a post for the cor of Sec. 22, 23, 26 & 27 from which  
Locust. 36 in. diam. bent. S 50 W. 15 links dist; 1/3  
Hoopash. 14 " " N 28 E. 42 " "

Wash On a Random line between Sec. 23 & 26. I. 5 N.R. 7 W.

20.29 To ap Elder 24 in diam. in the line.

40.00 Set a temporary 7/8 support

61.40 To a Hoopash. 18 in diam. in the line.

77.44 Intersect the N & S line at the post cor of Sec. 22,  
23, 26 & 27.

Over good bottom land; timber Hoopash & Walnut.

Cash On the true line between Sec. 23 & 26. I. 5 N.R. 7 W.

38.72 Set the temporary 7/8 support at an dist from which,  
Hoopash. 12 in. diam. bent. N 78 E. 19 links dist; 1/3  
Loc. 14 " " S 39 W. 20 " "

77.44 To the post cor of Sec. 23, 24, 25 & 26.

Cash Return Sec. 23 & 26. I. 5 N.R. 7 W.

79.40 To the River. Var. 6.30'

North Return Sec. 22 & 23. I. 5 N.R. 7 W.

1.00 To a Box Elder. 15 in. diam. in the line.

40.00 Set a 7/8 support from which,

B. Oak. 14 in. diam. bent. S 50 W. 15 links dist; 1/3  
Water Birch. 9 " " S 37 E. 19 " "

64.86 To a Hickory 20 in diam. in the line.

80.00 Set a post for the cor of Sec. 14, 15, 22 & 23 from which,  
Hickory 12 in. diam. bent. N 27 E. 13 links dist; 1/3  
Bryon. 12 " " S 72 W. 35 " "  
Grass bottom as before

Cash Return Sec. 14 & 23. I. 5 N.R. 7 W.

9.15 To a Locust 36 in. diam. in the line.

## T. No 5 N.R. No 77 2nd Mer. Ind.

40.00 Set a 74 capost from which,  
Sugar. 5 in. dist. head. S 7 E 5 units each; 1/5  
Do 7 " " " N 14 W 10 " "  
45.28 To a 7 1/2 in. dist. stands in the line.  
63.00 Intersect the Indian Boundary and set a post for  
the cor of Sec. 14 & 23 from which,  
Maple 18 in. dist. head S 23 E 36 lbs each; 1/5  
Do. 28 " " " N 74 W 60 " "  
Land 1/5 same as last unit.  
Cash Return Sec 14 & 23. Continued by Sullivan  
40.00 94 capost.  
80.00 Set a post for the cor of Sec. 13, 14, 23 & 24 from which,  
Hoop oak. 22 in. dist. head. S 34 W 28 units each; 1/5  
Locust. 20 " " " N 42 E 68 " "

---

North Return Sec 14 & 15 T. 5 N.R. 7 W  
2.50 To a 7 1/2 in. dist. stands in the line.  
21.00 Intersect the Indian Boundary and set a post from  
which an Oak (W) 20 in. dist. head. S 17 W 28 lbs each  
and an Ash. 7 " " " S 43 E 8 " "  
Land 1/5 as before.  
North Return Sec 14 & 15 T. 5 N.R. 7 W Continued  
25.50 To a 7 1/2 in. dist. stands in the line.  
40.00 Set a 74 capost from which,  
Hickory 15 in. dist. head. S 47 W 9 units each; 1/5  
Hoop oak 4 " " " N 42 E 25 " "  
58.50 To a 7 1/2 in. dist. in the line.  
77.09 To a 3 Walnut. 15 in. dist. in the line  
80.00 Set a post for the cor of Sec. 10, 11, 14 & 15 from which,  
B. Oak. 18 in. dist. head. S 15 E 66 units each; 1/5  
Do. 10 " " " S 17 W 65 " "  
Good Bottom land; Sugar Walnut, Hickory & 6.

19

T. N. 5 N.R. N. of W 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Cash On Random line between Sec. 11. & 14. T. 5 N.R. 7 W.  
 40.00 Set a trip 1/4 to post  
 82.00 Intersect the N & S line at the post cor. of Sec. 11. 12. 13 & 14.  
 Con. Good bottom land; Timber Walnut, Hickory, &c.

Wash Cut the line between Sec. 11. & 14. T. 5 N.R. N. of W.  
 41.00 Set the trip 1/4 to post at cor. dish on machine from which  
 N. Oak. 12 in. diam. bears N 82 E. 48 links dish; &c.  
 Do. 28 " " " S 82 W. 63 " "  
 82.00 To the post cor. of Sec. 10. 11. 14 & 15.

North Return Sec. 10 & 11 T. 5 N.R. 7 W.  
 8.00 Con. prairie  
 9.09 To a N. Oak. 8 in. diam. in the line.  
 40.00 Set a 7/16 to post from which  
 N. Oak. 8 in. diam. bears S 36 W. 17 links dish; &c.  
 Hickory 10 " " " N 45 E. 10 " "  
 58.25 To Back water 275 links wide, Course S. W.  
 65.00 Prairie to the end of the line.  
 80.00 Set a post (in the prairie) for the cor. of Sec. 2, 3, 10 & 11.  
 Feb. 6<sup>th</sup>. 1811.

Cash Return Sec. 2 & 11 T. 5 N.R. 7 W. (On Random)  
 12.50 Con. prairie.  
 14.50 Back water; offset North 175; thence East. 55 &c.;  
 thence South 175 to the line.  
 20.00 Into line.  
 25.70 To Back water 280 links wide, Course S.  
 80.00 Intersect the N & S line 50 links north of the post  
 cor. of Sec. 1. 2. 11 & 12.

Wash Cut the line between Sec. 2 & 11. T. 5 N.R. 7 W.  
 40.00 Set 1/4 to post

T. N. 5. N. R. N. 7. W. 2<sup>nd</sup> Mer. Sec.

Own Good land.

North Between Sec. 24 & 3. T. 5 N. R. 7 W.  
 9.00 To a Hickory 10 in. diam. in the line.  
 40.00 Set a  $\frac{1}{4}$  mile post from which  
 W. Oak 18 in. diam. beam. N 38 E. 115 links each; 4-9  
 No. 24 " " N 21 W. 85 " "  
 50.00 To a W. Oak. 20 in. diam. stands in the line.  
 63.40 To a B. Oak. 24 in. " " " "  
 80.30 Intersect the N. Boundary 126 links East of the  
 cor. of Sec. 34 & 35. T. 6 N. R. 7 W. and set a post from the  
 " " 2, 43, from which  
 W. Oak. 12 in. diam. beam. S 32 E. 40 links each;  
 2<sup>nd</sup> rate Oak land.

North Between Sec. 33 & 34. T. 5 N. R. 7 W. by Benton.  
 Own 2<sup>nd</sup> rate bottom land. Junco Elm, W. ash,  
 W. & B. Walnut.

36.50 An Elm 9 in. diam. stands on the South Bank of  
 White River from which an  
 Ash. 18 in. diam. beam. S 79 W. 36 links each; 4-9  
 Walnut. 24 " " N 83 E. 65 " "

North. Between Sec. 33 & 34. T. 5 N. R. 7 W. by Sullivan

37.00 To an Elm. 10 in. diam. on Bank of River

37.50 To River Bank. + 37.00 to Sand Bank

2.50 Set a post from which

Maple 10 in. diam. beam. N 28 W. 16 links each; 4-5

Rox. Elm. 6 " " S 85 E. 12 " "

(I suppose the above named post was intended for the  $\frac{1}{2}$   
 mile post. thus  $37.50 + 2.50 = 40.00 = \frac{1}{2}$  mile.)

25.90 Set a post for the cor. of Sec. 33 & 34 (probably on South  
 or Left Bank of White River) from which an  
 Ash. 4 in. diam. beam. S 34 E. 7 links each; 4-9



21

T. N. 5 N.R. S. of N. and M. and

Elm. 10 in. dia. bears N 42 W. 31 links due

West	Return Sur. 27. & 34. I. 5 N.R. 7 W.
13.60	To the Left Bank of White River
20.02	To a Willow 18 in the Right Bank of River cor of Sur. 27 & 34
41.62	To a Sycamore 72 in dia. in the river.
46.89	" an Elm 18 in dia. stands in the river on the River Bank.
59.01	To the Left Bank of White River
75.00	" " " " " "
80.16	To the opposite or Right Bank.

South	Return Sur. 27. & 28. I. 5 N.R. 7 W.
7.00	A Norway Spruce 18 in dia.
40.00	Set a 7" sapling from which Keweenaw 12 in dia. bears N 27 W. 8 links due; & 9 White Birch. 4 " " " S 32 E. 56 " "
79.84	To an Elm 6 in dia. stands on the Right Bank of the River for the cor of Sur. 27. & 28. Now good bottom as before

West	Return Sur 22 & 27 I. 5 N.R. 7 W.
5.33.	To an Oak 24 in dia. in the river.
10.00	To a Pond; 11.00 due north; Offset North 6.00 thence West 11.50 thence South 6.00 to the river.
26.78	To a Sycamore 60 in dia. stands in the river
36.10	To a Maple 18 in dia. stands on the Right Bank of the River; Offset from the Maple North 5.00; thence West 17.40 thence South 5.00 on the Bank of River. in line.
53.50	To a W Oak 24 in dia. on the Right Bank of River
80.00	Set a post for the cor of Sur. 21. 22, 27. & 28 from which, an Elm 12 in dia. bears N 27 W. 8 links due; & 9 W Oak. 8 " " " S 38 E. 21 " "
	Land low bottom; Timber, Keweenaw, & 5.



## T. N. 5 N.R. N. 7 W Quad Mer. Sec. 2.

See!! See!!!

North	Return Sec 21 & 22 T. 5 N.R. 7 W	(Begin here)
9.00	To a Hickory 12 in. dia. in the line.	Comp. from
40.00	Set a 7/8 sa post from which	this line on
	Red Bud 8 in. dia. bears N 53 W. 12 links dist; & a	ward!-
	Do. - " " " N 56 E. 32 " "	
49.30	To a Hickory 24 in. dia. in the line.	
80.00	Set a post for the cor. of Sec. 15. 16. 21 & 22 from which	
	a Hickory 20 in. dia. bears S 15 E 32 links dist; & a	
	" Do 16 " " " N 53 W. 28 " "	
	Same &c. same as last mile.	

East	Return Sec 15 & 22 T. 5 N.R. 7 W On a Random
40.00	Set a trap 7/8 sa post.
70.00	To a Ponder 100 links wide,
82.90	Intersect the N 5 S line 175 links South of the Post cor. of Sec 14 15 22 & 23.
	Over next land to Tomba Hickory, &c.

West	Continue line between Sec 15 & 22 T. 5 N.R. 7 W
41.45	Set the 7/8 sa post at an. dist. in the new line from which an
	Ash. 12 in. dia. bears N 77 W. 14 links dist; & a
	Sum. 4 " " " S 14 E. 13 " "
82.90	To the Post cor. of Sec 15. 16. 21 & 22,

North	Return Sec 15 & 16. T. 5 N.R. 7 W
44.75	To a B. Jack. 12 in. dia. in the line.
30.00	To Back. water 400 (links wide) on the line (near S W)
40.00	Set a 7/8 sa post from which
	Hickory 14 in. dia. bears S 36 W. 14 links dist; & a
	Do. - " " " S 31 E. 16 " "
46.00	To an Elm 20 in. dia. in the line.
51.00	Intersect the Indian Boundary wide set a post for the cor. of Sec 15 & 16. from which an

23

T. N. 5 N. R. N. of W. 2nd Mer. Ind.

	Ellen 6 in. diam. bears. \$377.14 links cash; Vign
	Ellen 18 " " " \$3677.9 " "
	Land mt; Timber Hickory.
North	Between Sec. 15 & 16. T. 5 N. R. 7 W. Continued
	Back Water 9 W.
40.00	Dr. fur. cor.
72.00	Back Water to the End of the line.
	Tim Bottom. land.
<hr/>	
East	Between Sec. 10 & 15 T. 5 N. R. 7 W. On Random line.
0.20	Out of Back Water
40.00	Set a temp. 1/4 deposit
81.50	Intersect the N. 5 line at the first cor of Sec. 10. 11. 14 & 15
<hr/>	
West	On the line between Sec. 10 & 15 T. 5 N. R. 7 W.
40.75	Cor to 1/4 sec on an Ellen 3 in. diam.
81.50	To the first cor of Sec. 9. 10. 15 & 16.
	Land good bottom; Timber & 5. Some as best made.
<hr/>	
South	Between Sec. 9 & 10 T. 5 N. R. 7 W.
34.80	To a P. Oak 36 in. diam. in the line.
40.00	Set a 1/4 deposit from which
	Sum. 10 in. diam. bears. \$11 E. 17 links cash; Vign
	No 12, " " \$6877.34 " "
65.50	Back Water.
80.00	Set a post for the cor of Sec. 9. 10. 15 & 16. in B Water.
	On 2nd side brushy land; Timber Oak & Hickory
<hr/>	
West	Between Sec. 3 & 10 T. 5 N. R. 7 W. - Random line.
8.00	To the cross land.
28.00	To a Prairie 12.00 ch. made.
40.00	Set a temp. 1/4 deposit
81.00	Set a post for the cor of Sec. 3. 4. 9 & 10 from which

T. N. 5 N. R. No. 7 W. 2<sup>nd</sup> Mer. Ind.

Kick 8 in. dia. beam N 61 E. 76 links each;  $\frac{1}{2}$   
 No. 12 " " " S 63 W. 78 " "  
 Sand 2<sup>nd</sup> rate & Brushy.

East  
 40.50 On the new line between Sec. 3 & 10. T. 5 N. R. 7 W.  
 Set the trip 14<sup>th</sup> support at an ditch in the new line from which  
 a 13 Oak. 40 in. dia. beam. S 6 E. 75 links each;  $\frac{1}{2}$   
 " No. 22, " " " N 16 E. 65 " "  
 81.00 To the first cor of Sec. 2, 3, 10 & 11.

North  
 35.00 Between Sec. 3 & 11. T. 5 N. R. 7 W.  
 To prairie 40.00 ch. side,  
 40.00 Set the 14 support in the prairie  
 79.30 Intersub the N. Boundary 70 links East of the first cor of  
 Sec. 33 & 34 T. 6 N. R. 7 W. and (Set a post for the cor of  
 Sec. 34 from which on)  
 Elm. 10 in. dia. beam. S 48 W. 6 links each;  $\frac{1}{2}$  or  
 Ash. 18 " " " S 58 E. 13 " "  
 Now 2<sup>nd</sup> rate brushy Oak Land.

South  
 11.50 Between Sec. 33 & 33. T. 5 N. R. 7 W.  
 To sugar. 18 in. dia. stands in the line.  
 23.15 " on ash. 24 " " " " " on N. R. of P. Co.  
 25.00 To pond 11.00 (ch. side), Offset East. 3.00; thence South 11.00  
 thence West 3.00. to the line.  
 40.00 Set a 14 support from which,  
 Hoop ash. 10 in. dia. beam. N 64 E. 9 links each;  $\frac{1}{2}$   
 No. 8 " " " S 90 W. 15 " "  
 42.50 To an Elm. 24 in. dia. in the line.  
 80.00 Set a post for the cor of Sec. 28, 29, 32 & 33 from which  
 Malberry 18 in. dia. beam. N 1 W. 40 links each;  $\frac{1}{2}$   
 Hoop ash. 6 " " " N 62 E. 28 " "  
 Sand good bottom; Elm. Hoop Ash.  $\frac{1}{2}$

25

T. N. 5 N.R. No. of M. 2<sup>nd</sup> (Mn. Ind.)

Calb Return Jul 28 & 33 T. 5 N.R. 7 W  
 28.35 To an Elm 24 in. dia. stands in the line.  
 40.00 Set a 74 sap post from which,  
 a Hick 12 in. dia. bears N 70 E 5 links dia; &  
 " Hoop Oak 3 " " S 80 W 24 " "  
 79.80 To the Right Bank of White River and set a post for  
 the cor of lot 28 & 33 from which,  
 a Beech 6 in. dia. bears S 31 W 8.5 links dia; &  
 an Elm 8 " " " N 20 E 24 " "  
 Land same as last mile.

Snook Return Jul 28 & 29 T. 5 N.R. 7 W  
 2.00 To a Hick 18 in. dia. in the line  
 22.50 To a Buck 100 links side, Corner S W  
 40.00 Set a 74 sap post from which  
 an Elm 8 in. dia. bears N 33 E 5 links dia; &  
 " Hick 15 " " " N 83 W 10 " "  
 42.00 To an Oak 30 in. dia. in the line.  
 80.00 A Hick 20 in. dia. stands at the cor of lot 28, 29, 32 & 33.  
 Land and timber same as last mile.

West Return Jul 21 & 28 T. 5 N.R. 7 W  
 9.00 To a Honey Locust 18 in. dia. stands in the line.  
 25.00 To a Pond 300 links side; measured East 200 links;  
 thence North 10.00 ch; thence West 8.00 ch; thence South  
 10.00 ch to the line.  
 40.00 Set the 74 sap post at cor. dia. from which,  
 Red Oak 8 in. dia. bears N 60 W 14 links dia; &  
 W Beech 4 " " " S 36 E 23 " "  
 45.80 To a Sugar 20 in. dia. stands in the line  
 55.00 To a Buck 100 links side, Corner S.  
 80.00 Set a post for the cor of lot 20, 21, 28 & 29 from which,  
 Sugar 20 in. dia. bears N 33 W 43 links dia; &



## T. N. 5 N. R. No 7 W. 2nd Mer. Ind.

Maple 24 in diam bears S 68 E 49 links north;  
Land &c. Same as last mile.

North Return Sep. 20 & 21. T. 5 N. R. 7 W.  
3.00 To a Hick 18 in. diam. Stands in the line.  
16.95 To a B. Oak 36 in. diam. Stands " " "  
40.00 Set a 1/4 sap post from which a  
an Elm 30 in diam bears N 67 W 35 links north; ✓  
" Oak 6 " " " S 84 E 18 " "  
67.00 To a W Oak 18 in. diam. in the line.  
80.00 Set a post for the cor of sub 16. 17. 20 & 21 from which a  
W Oak 18 in. diam. bears West 21 links north; ✓  
Sycamore 20 " " S 77 E 23 " "  
Land mt; Timber Hickory &c.

Call Return Sep. 16 & 21. T. 5 N. R. 7 W.  
14.00 To a Pma.  
Good land; Timber Hickory &c.

West Return Sep. 16 & 21. T. 5 N. R. 7 W.  
40.00 Set a 1/4 sap post from which a  
an Oak 15 in. diam. bears S 63 E 11 links north; ✓  
" — 15 " " " N 52 W 21 " "  
53.00 To Back Water 100 links wide; Corner S.  
66.00 To pma 600 links wide.  
Land mt; Timber Oak Hickory.

North Return Sep. 16 & 17. T. 5 N. R. 7 W.  
2.35 To a Hick 12 in. diam. Stands in the line.  
40.00 Set a 1/4 sap post from which a  
B. Oak 12 in. diam. bears S 75 E 22 links north; ✓  
Hickory — " " " S 67 W 25 " "  
77.80 Intersect the South Boundary or Indian Boundary &c.

T. N. 5 N. R. N. of W. 2012 Am. Ind. 27

Set a post for the cor. of Sec. 16. & 17 from which:  
an Elm 18 in. diam. bears S 33 E. 35 links north; &  
" " 12 " " " S 48 W. 11 " "  
Road farming land; Timber Elm, & Hickory  
North Return Sec. 16. & 17 Continued  
40.00 To a post.  
80.00 Set a post for the cor. of Sec. 8. 9. 16 & 17 from which  
a W Oak. 24 in. diam. bears N 59 W. 50 links north; &  
an Elm, 10 " " " S 70 W. 29 " "

East Return Sec. 9 & 16. T. 5 N. R. 7 W.  
8.21 To a W Oak. 15 in. diam. in the line.  
40.00 Set a 7/4 post from which:  
a W Oak. 24 in. diam. bears S 34 E. 69 links north; &  
" 9 Walnut. 20 " " " N 20 W. 40 " "  
63.40 To a Hickory 20 in. diam. in the line.  
77.70 To Back Water.

North Return Sec. 8 & 9. T. 5 N. R. 7 W.  
A W Oak. 18 in. diam. in the line.  
40.00 Set a 7/4 post from which:  
a W Oak. 6 in. diam. bears S 30 E. 48 links north; &  
" 7 " " " S 80 W. 29 " "  
74.28 To a W Oak. 20 in. diam. it stands in the line.  
80.00 Set a post for the cor. of Sec. 4. 5. 8 & 9 from which:  
Hickory 20 in. diam. bears N 85 W. 78 links north; &  
a W Oak. 24 " " " N 45 E. 32 " "

West Out to Raydon line Return Sec. 4 & 9. T. 5 N. R. 7 W.  
27.00 Through Open marsh.  
40.00 Set a temporary 7/4 post.  
79.10 Intersect the N & S line 25 links south of the post cor. of  
Sec. 4. 5. 8 & 9

T. No 5 N.R. No 7/11. 2<sup>nd</sup> Mr. Ind.

East On the line between Sec. 4 & 9. T. 5 N. R. 7 W.  
 39.55 Set the trap for the first at an ditch in the line from  
 which an Ash. 14 in. diam. trunk. S 85 E. 13 links dist; &  
 an Do. 19 " " " N 72 W. 12 " "  
 79.10 To the first corner of Sec. 3. 4. 9 & 10.

North Return Sec. 4 & 5 T. 5 N. R. 7 W.  
 24.41 To a N. Oak. 24 in. diam. in the line.  
 40.00 Set a trap for the first from which  
 a Hickory 12 in. diam. trunk. S 86 W. 24 links dist; & an  
 Do. 20 " " " S 49 E. 40 " "  
 47.49 To a Hickory 10 in. diam. in the line.  
 65.00 Prains to the end of the line.  
 80.15 Intercept the N. R. boundary 240 links East of the first corner of  
 Sec. 32 & 33. T. 6 N. R. 7 W. and set apart for the corner of  
 4 & 5 from which  
 an Elm. 30 in. diam. trunk. N 44 W. 180 links dist; &  
 a Do. 30 " " " S 37 W. 322 " "  
 Cross 2<sup>nd</sup> rate Oak Land.

North Return Sec. 31 & 32 T. 5 N. R. 7 W.  
 3.50 To Back Water 400 links into,  
 8.90 To a N. R. Walnut. 26 in. diam. stands in the line.  
 40.00 Set a trap for the first from which  
 a Red Bud - in. diam. trunk. N 51 E. 19 links dist; & an  
 W. Oak. 24 " " " N 39 W. 22 " "  
 80.00 Set apart for the corner of Sec. 29. 30. 31 & 32 from which  
 a Mulberry 12 in. diam. trunk. N 42 W. 10 links dist;  
 & an Ash. 18 " " " S 10 E. 16 " "  
 Land rich bottom; Timber poor ash.

West Return Sec. 29. 32 T. 5 N. R. 7 W.  
 19.00 To a W. Oak 18 in. diam. stands in the line.

29

T. No 5 N.R. No 7 W. 2<sup>nd</sup> Mer. Ind.

- 39.40 To Black Water 100 links n.w., Corner S.  
 40.00 Dr. sec. cor. in B. Water.  
 48.25 To an Elm. 12 in. dia. in the line.  
 70.00 To a Pond. 500 links long. Corner N & S.  
 85.00 To the first cor. of sec. 29, 30, 31 & 32.  
 Sand rich and hard; Timber Hickory & Hoop ash,

- 
- West Return Sec. 30 & 31 T. 5 N.R. 7 W.  
 2.60 To a Hickory 18 in. dia. in the line.  
 4.00 To a Pond. 200 links n.w.  
 40.00 Set a post from which a  
 on Elm 20 in. dia. bears S 30 E 46 links n.w.; &  
 a Maple. — " " " N 21 E 38 " "  
 41.50 To a maple. 18 in. dia. It stands in the line.  
 71.40 Intersect the West Boundary 1750 links North of the  
 first cor. of sec. 25 & 36 T. 5 N.R. 8 W.  
 and set a post for the cor. of sec. 30 & 31 from which  
 a Hickory 20 in. dia. bears N 70 E 9 links n.w.; &  
 " B Oak. 30 " " " S 39 W. 19 " "  
 Sand & mt.

- 
- North Return Sec. 29 & 30 T. 5 N.R. 7 W.  
 23.00 To a Prairie 16.00 ch. n.w.  
 40.00 A Hickory 24 in. dia. It stands just the cor. of 1/4 sec.  
 49.89 To an Elm. 18 in. dia. in the line.  
 58.00 An ash. Swamp. to end of line.  
 80.00 Set a post for the cor. of sec. 19, 20, 29 & 30 from which  
 on Elm. 14 in. dia. bears N 82 W. 5 links n.w.; &  
 on Ash. 20 " " " S 21 W. 12 " "  
 Sand & mt. oak; Timber ash. Hickory.

- 
- East Crossed from line between Sec. 20 & 29 T. 5 N.R. 7 W.  
 40.00 Set a temporary post.



T. N. 5 N.R. N. 7 W. 2<sup>nd</sup> Mer. Ind.

80.10	Entered the N & S line — cor of sec. 20. 21. 28. & 29. Land out; Timber ash & c.
West	On the true line between Sec. 20. & 29. T. 5 N.R. 7 W.
40.05	Set the temporary 1/4 section post at av. dist on the true line from which: N 101° 12' in. dist. N 48° E 29 links out;
80.10	To the post cor. of sec. 19. 20. 29 & 30.
West	On the true line between Sec. 19 & 30 T. 5 N.R. 7 W.
12.75	To a Gum. 36 in. dist. in the line.
40.00	Set a 1/4 section post from which a Maple. 18 in. dist. bears S 40° W. 10 links out; 1/5 N 73° E 4 " " " " S 77° E 21 " "
44.30	To a W. Oak. 18 in. dist. in the line.
56.00	To a Wet Swamp.
66.83	To an Elm. 12 in. dist. Stands in the line.
72.00	Entered the West Boundary 1/4 ch. South of the post cor. of Sec. 24 & 25. T. 5 N.R. 8 W. and set a post for the cor. of " 19 & 30 from which W Oak. 24 in. dist. bears N 36° W. 22 links out; 1/5 Do. 30 " " " " S 7° E 33 " " Land out.
North	Return Sec. 19 & 20 T. 5 N.R. 7 W.
9.00	To a Gum. 18 in. dist. Stands in the line.
28.00	" " W Oak. 15 " " " " " "
40.00	Set a post for the cor. of sec. 17 from which W Oak. 24 in. dist. bears N 31° E. 40 links out; 1/5 Do. 18 " " " " N 39° W. 41 " "
45.00	Left Swamp.
52.55	To a W Oak. 20 in. dist. Stands in the line.
67.00	To a Prairie 33.00 ch. wide.
80.00	Set a post for the cor. of sec. 17. 18. 19 & 20 in prairie

31

T. N. 5 N.R. N. of W. 2nd Mer. Ind. e

Land out; Timber Oak.

East On the Random line between Sec. 17 & 20 T. 5 N.R. 7 W.  
 35.00 To a Pond or Stream 200 miles out, Comed from N.E.  
 40.00 Set a trap. 1/4 mi. post.  
 44.00 To a Pond 100 miles out.  
 80.00 Intersect the N & S line 30 miles South of the Post cor. of  
 Sec. 16. 17. 20 & 21.  
 Land 2nd out; Timber Hard Maple.

West - On the true line between Sec. 17 & 20. T. 5 N.R. 7 W.  
 40.00 Set the trap. 1/4 mi. post at av. dist from which a  
 Hickory 15 in. diam. bears. N 7 E. 27 miles out; &  
 Do. 18 " " " N 74 W. 52 " "  
 80.00 To the Post cor. of Sec. 17. 18. 19 & 20.

West Return Sec. 18 & 19 T. 5 N.R. 7 W.  
 30.00 Came to the woods.  
 40.00 Set a 1/4 mi. post from which  
 a Hickory 18 in. diam. bears. N 24 E. 68 miles out;  
 60.00 To Prairie  
 71.43 To the West Boundary

North Return Sec. 17 & 18 T. 5 N.R. 7 W.  
 10.00 Left Prairie  
 15.00 To an Elm. 36 in. diam. in the line.  
 40.00 Set a 1/4 mi. post from which  
 Hickory. 10 in. diam. bears. West. 10 miles out; &  
 Do. 8 " " " S 72 E. 18 " "  
 43.85 To a Hickory 25 in. diam. stands in the line.  
 73.70 " " Do. 18 " " " " "  
 80.00 Set a post for the cor. of Sec. 7. 8. 17 & 18. from which an  
 Elm 22 in. diam. bears. N 69 W. 26 miles out; &

T. No 5 N.R. No 7 W. 2<sup>nd</sup> Mm. Ind.

19 Oak 18 in. dia: beam. N31 E 86 links each;  
Brushy Oak Land.

East Return Sat 8 + 17 T. 5 N.R. 7 W.  
30.00 Over prairie  
33.50 To a W Oak 20 in. dia: stands in the m.  
40.00 Set the 1<sup>st</sup> support from which  
19 Oak 10 in. dia: beam S 7 W. 12 links each; 8  
19 (Oak) 10 " " " N 57 W 29 " "  
42.00 To a stream. 10 links wide, corner S.  
73.20 A Maple 12 in. dia: stands for the cor of sec. 8 + 17 on the  
Indian Boundary.  
74.00 A stream 20 links wide, corner S.  
57.00 (75.00) A Hickory,

West Return Sat 7 + 18 T. 5 N.R. 7 W  
5.35 To a Hickory 18 in. dia: in the line  
40.00 Set a 70 support from which  
a W Oak 24 in. dia: beam. N 46 E 40 links each; 8.  
" 20 " " " N 83 W 82 " "  
43.77 To a Hickory 24 in. dia: in the line.  
70.87 Intersect the West Boundary and set a post for the cor  
of sec. 7 + 18. from which  
Hickory 98 in. dia: beam. N 86 E 17 links each; 8  
20. 24 " " " S 62 E 40 " "  
Over middle) rate Oak land.

East Return Sat 8 + 17 T. 5 N.R. 7 W  
30.00 Over prairie  
40.00 Tr. support  
42.00 To a W Oak 20 links wide, corner S.  
80.00 Intersect the N 83 line (at post) cor of sec. 8. 9. 16 + 17  
Some low trees, Timber Oak & Maple

## T. No 5 N.R. No 7 N. Co. (Mr. Indiana)

North	Return Sec. 7 & 8. T. 5 N.R. 7 W.
15.00	To prairie
25.00	To Boundary in prairie. Sec'd 2 <sup>nd</sup> rate; Timber Hick.
North	Return Sec. 7 & 8. T. 5 N.R. 7 W.
20.00	To prairie, 10 ch. mds.
30.00	To a W Oak. 20 in. dia. stands in the line.
38.10	To a W Oak. on the edge of the same prairie.
40.00	Dr. Sw. cor. in the prairie.
80.00	Sw. cor. " " "
West	On a random line between Sec. 5 & 8.
19.00	To West prairie 15.00 ch. mds.
40.00	Set a timber 7/4 S. post.
50.00	To marsh.
80.00	Intersect the N & S line in the marsh cor off sec. 5, 6, 7 & 8.
East	On the true line between Sec. 5 & 8, T. 5 N.R. 7 W.
40.00	Set the timber 7/4 S. post at cr. dish in the true line from which an Elm. 14 in. dia. bears S 67 W. 10 links dish & a W Oak. 10 " " " S 3 E. 19 " "
80.00	To the first cor off sec. 4, 5, 8 & 9.
West	Return Sec. 6 & 7. T. 5 N.R. 7 W.
40.00	Dr. Sw. cor. in Marsh.
42.00	To Woodland.
71.00	Intersect the West Boundary and set a post for the cor. of sec. 6 & 7. from which W Oak. 18 in. dia. bears S 25 E. 58 links dish & B. Oak. 24 " " " N 88 E. 59 " " Timber Oak 1/2. Line between Sec. 5 & 6. wanting



T. N. 5 N.R. N. 7 of M. 2nd. Am. Ind.

Meander of White River Left Bank. Commencing  
at the line between Sec. 1 & 12 thence up stream.

N 21 W.	5.00	
N 5 E.	8.00	
N 33 E.	5.00	In Sec. 1.
N 66 E.	8.00	
East	5.00	
S 70 E.	5.00	
S 40 E.	5.00	
S 28 E.	9.00	To East Boundary.

---

Commencing on the line between Sec. 1 & 12 thence down stream  
On the Right Bank

S 47 E.	10.00
S 55 E.	8.00
S 30 E.	10.00
S 5 W.	7.00
S 28 W.	7.00
S 40 W.	13.00
S 17 E.	10.00
S 42 E.	5.00
S 74 E.	10.00
N 62 E.	5.14

---

Meanders of the Left Bank of White River commencing at  
Range line east side, of Sec. 12 thence down stream

N 61 W.	4.84.	To line between Sec. 1 & 12 thence
---------	-------	------------------------------------

---

N 36 W.	18.00
---------	-------

## T. N. 5. N. R. N. 7 W. 2nd Mer. Quad.

S76 W. 8.00

S3 W. 9.00

S50 E. 5.00

In Sec. 1.

To line between Sec. 1 &amp; 12.

S60 E. 8.00

S50 E. 8.00

S32 E. 5.00

S15 E. 10.00

S7 W. 5.00

S28 W. 14.00

S40 W. 9.00

S24 E. 7.00

S80 E. 5.00

N65 E. 5.00

N35 E. 2.19

To the East Boundary of Sec. 12.

Commencing in the East Boundary of Sec. 13 thence  
down stream on the Left Bank.

S51 W. 10.00

S16 W. 7.00

S14 E. 7.00

S34 E. 8.00

S41 E. 5.00

(To East Boundary of Sec. 13).

Commenced in Range line thence down stream

S59 W. 5.00 in Sec. 24.

S70 W. 20.00

N57 W. 7.00

N34 W. 8.00 To the line between Sec. 13 &amp; 24.

N22 W. 10.00 in Sec. 13

N81 W. 7.00

S40 W. 13.20 To the line between Sec. 13 &amp; 24

T. No 5 N.R. No 77. 2<sup>nd</sup> Mv. Ind.

S44 W. 9.00  
 S24 E. 15.00  
 S10 E. 18.00  
 S64 E. 15.00  
 S22 E. 9.00  
 S26 W. 8.00  
 S70 W. 19.00  
 S56 W. 14.00  
 S80 W. 7.00  
 West 9.00  
 S63 W. 2.00  
 S63 E. 14.00  
 S50 E. 3.50

I do not know where this ends

Meanders of the Right Bank of White River commencing  
 in the East Boundary of Sec. 13. Thence down stream from  
 a Sycamore 18 in. dia.

S61 W. 10.00  
 S36 W. 12.00  
 S6 W. 8.00  
 S15 E. 5.00  
 S33 E. 13.00  
 S53 E. 8.00  
 S11 E. 5.00  
 S21 W. 6.00  
 S58 W. 16.00  
 S73 W. 4.00  
 N56 W. 4.00  
 N22 W. 10.00  
 N79 W. 11.00

D. No 5 N.R. No 77. 2nd (Mr. Aud.)

37

859 W. 7.00

826 W. 9.00

855 W. 11.00 John between Sec 13 & 24

812 W. 10.00

836 E. 14.00

815 W. 8.00

820 E. 11.00

845 E. 7.00

871 E. 11.00

810 E. 5.00

855 W. 6.00

866 W. 7.00

833 W. 10.00

877 W. 8.00

West 9.30 John between Sec. 23 & 24.

Meadows of White River commencing in the Indian  
Boundary then down stream in Sec. 24.

825 E. 13.00

Smith 14.00

841 E. 11.00

871 E. 10.00

815 E. 4.00

835 W. 4.00

863 W. 22.00.

West 7.00

N 75 W. 6.00 John between Sec. 23 & 24.

N 71 W. 3.00

N 63 W. 14.00



T. No 5 N.R. No 7 W. 2<sup>nd</sup> Mm. Ind.

Nest 3.00

S45 W 8.00

S16 E. 10.00

S55 E. 5.00

S72 E. 6.00

S63 E. 10.00. To line between Sec. 23 & 26.

Commenced on line between Sec. 26 & 27 thence up stream in Sec. 26.

S88 E. 20.00

S71 E. 13.00

1<sup>st</sup> Sec. 26.

S54 E. 30.00

S65 E. 28.00 at 2300 intersect the line between Sec. 25 & 26

N86 E. 5.00

N65 E. 7.00

N39 E. 6.00

N9 E. 11.00

In Sec. 25.

N32 W 9.00

N40 W 4.00

N47 W 5.00

N65 W 11.50 To line between Sec. 25 & 26.

S75 W 11.00

S68 W 12.00

In Sec. 27

N70 W 8.00

N45 W 11.50 To line between Sec. 22 & 27.

N57 W. 6.00

S86 W 9.00

S50 W 4.50 To line between Sec. 22 & 27.

Commenced on the line between Sec. 27 & 28. thence up stream

N25 E. 5.00

N55 E. 9.00

East. 00.00

S55 E. 12.00

S45 E. 5.50 To line between Sec. 27 & 34

S45 E. 17.00

S76 E. 6.00

N76 E. 5.00

N34 E. 8.00

North 543 To line between Sec. 27 & 34

N31 W. 5.00

N51 W. 17.00

S81 W. 17.00

N60 W. 10.00

N28 W. 9.00

N15 E. 8.00

N64 E. 9.00

East. 15.00

N55 E. 5.00

N4 E. 6.00

N48 W. 19.00

N31 W. 8.00

N8 W. 10.00

N27 E. 5.50 To line between Sec. 22 & 27

Meanders of White River; commencing in Town line  
South Boundary of Sec. 33 thence up S. stream in 33

N15 E. 12.00

N2 E. 9.00

N26 E. 11.00

N69 E. 5.00

## T. N. 5 N.R. A. of N. and M. Ind.

East	9.00	In Sw. 33.
S55 E.	14.00	
S26 E.	27.00	
S63 E.	9.00	(Probably this comes ends in the E. Boundary of Sw. 33)
N72 E.	3.00	
N49 E.	8.00	
N9 E.	7.00	
N9 W.	9.00	
N28 W.	12.00	
N54 W.	22.00	
N31 W.	8.00	In Sw. 33.
N5 W.	10.00	
N38 E.	9.00	
N68 E.	11.00	
S77 E.	10.00	
S50 E.	9.00	
S26 E.	21.00	
S50 E.	4.00	To the line between Sw. 33 & 34.

Commenced at the post on line between Sw. 33 & 34  
thence down stream in Sw. 34.

S35 E.	6.00	
N48 E.	16.00	
South	6.00	
S58 W.	9.00	
N67 W.	8.00	To line between Sw. 33 & 34

Commenced at the post on the line between Sw. 33 & 34  
thence up stream in Sw. 33.

N25 W.	9.00	
N10 E.	6.65	To post on line between Sw. 28 & 33.

Commenced in the South Boundary of Sw. 33 thence

J 5 A.M. 7 W<sup>nd</sup> (Mon. Ind.)

41

dunstreum in Sec. 32,

N 5 E. 10.00

N 26 W. 11.00

N 51 W. 11.00

West. 14.00

S 39 W. 10.00

S 5 W. 11.00

S 19 E. 8.00 To Town line On the South Boundary of 32.

S. E. of W. River up to Town line Surveyed by  
Stephen Benson. D.S.  
The remainder was Surveyed by  
David Sullivan D.S.



I certify that the foregoing Transcript of the Field  
 notes of Township N. 5 North of Range E. 7 West  
 of the 2<sup>nd</sup> Principal Meridian, Indiana, has been com-  
 pared with the Original Notes in this Office and  
 found to be correct.

Surveyor General's Office,  
 Cincinnati, April 11. 1844

E. S. Daines

Sur. Genl.